



Town of Carlisle
Office of
BOARD OF HEALTH
66 Westford Street
Carlisle, MA 01741

Tel.: (978) 369-0283
Fax: (978) 369-4521

Town of Carlisle Review of Subdivision Plans

Section 1. Authority

In accordance with its authority under Massachusetts General Laws, Chapter 111, Section 31 The the Board of Health, Town of Carlisle, Massachusetts, has adopted enacts the following regulations ot to govern the review of subdivision plans filed in accordance with M.G.L. C. 41 s. 81U, and the review of Conservation Clusters, Open Space Neighborhoods, and Senior Residential Open Space Community Special Permit Applications

Section 2. Purpose

2.1 The Town of Carlisle is in an area of extensive wetlands, high water table and ledge. Carlisle has no backup town water or municipal sewerage to hook up to in cases of septic system failure.

2.2 The purpose of this regulation is to protect, preserve, and maintain the existing and potential groundwater supply, and groundwater recharge areas for the safety of the public health and the environment of the Carlisle community.

2.3 The Board of Health is required to submit binding advice to the Planning Board on the application for a preliminary or definitive subdivision plan in accordance with the provisions of M.G.L. Chapter 41, Section 81u.

Section 3 General Provisions

3.1 An applicant seeking Board of Health Review of a Preliminary or Definitive Subdivision Plan, Conservation Cluster, or Senior Residential Open Space Community Special Permit [in zoning?], or any other type of plan shall provide evidence to the Board of simultaneous filing of the application with the Planning Board and Town Clerk.

Section 4 Plan Requirements

4.1 Two copies of a topographic field survey with (5) foot contours minimum; or plan in accordance with the Subdivision or Special Permit Application requirements of the Carlisle Planning Board. An enlargement of a U.S. Geological Survey map or similar survey map enlargement is not acceptable.

4.2 Accurate locations of wetlands, brooks, streams, surface water bodies, and the wetland/flood

hazard district.

4.3 High water levels and percolation tests on each of the proposed lots must satisfy the Board of

Health that the area in general and each lot in the proposed subdivision is composed of a minimum depth of soil, the water level and soil permeability of which are adequate for waste and sewage disposal purposes. All such high-water level tests shall be made during spring high-water season (as determined by the Board). A full and complete set of soil logs corresponding to all deep observation holes and percolation tests shown on the subdivision plan shall be submitted with the plan. No dwellings may be built on land adjacent to the Concord River which is less than 121 feet above sea level (i.e. the estimated level of the flood of 1938).

4.4 The sewage disposal system and reserve leaching areas are to be located with field tests accurately identified within these areas.

4.5 A footprint of the dwelling.

4.6 The well location.

4.7 Woodwaste Disposal location, either on or off site, ot to be used for the disposal of wood wastes, tree stumps or wood debris of greater capacity than 200 cubic yards; the filing shall include a notarized statement signed by the owner/developer, as part of the application, which notifies the Board as to the manner in which the woodwaste generated by the proposed subdivision will be disposed.

Section 5. Fees

A filing fee minimum of \$250.00, plus \$50.00 per lot will be collected at application. Additional review time will be billed at the hourly engineering rate. Subsequent submittals for the same site will also be billed at the hourly engineering rate. An application will not be considered complete without the required fee.

Section 6. Severability

Sor far as the Board of Health may provide, each section of these regulations shall be construed as separate to the end that if any section, item, sentence, clause or phrase shall be held invalid for any reason, the remainder of these rules and regulations shall continue in full force and effect.